BRAIN RESEARCH

VOL. 764 NOS. 1,2 **CONTENTS** **1 AUGUST 1997**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Publisher's Announcement v

Guidelines for the submission of manuscripts vii

Research reports

Physical exercise induces FGF-2 and its mRNA in the hippocampus
F. Gómez-Pinilla, L. Dao and V. So (USA) 1

Estrogen as a neuromodulator of MPTP-induced neurotoxicity: effects upon striatal dopamine release
K.A. Disshon and D.E. Dluzen (USA) 9

Laminins of the adult mammalian CNS; laminin-α2 (merosin M-) chain immunoreactivity is associated with neuronal processes
T. Hagg, C. Portera-Cailliau, M. Jucker and E. Engvall (Canada, Switzerland, USA) 17

Laminin-α2 chain-like antigens in CNS dendritic spines
M. Tian, T. Hagg, N. Denisova, B. Knusel, E. Engvall and M. Jucker (USA, Canada, Switzerland) 28

Food intake and food choice: the role of the endogenous opioid peptides in the marsupial *Sminthopsis crassicaudata*
P.J. Hope, I. Chapman, J.E. Morley, M. Horowitz and G.A. Wittert (Australia, USA) 39

Antipsychotic drug effects on glutamatergic activity
T.I. Lidsky, E. Yablonsky-Alter, L.G. Zuck and S.P. Banerjee (USA) 46

Neuromagnetic fields reveal cortical plasticity when learning an auditory discrimination task
S. Cansino and S.J. Williamson (Mexico, USA) 53

Possible participation of spinal nitric oxide in the control of the blood pressure in anesthetized rats
M. Del Carmen García, S.M. Celuch and E. Adler-Graschinsky (Argentina) 67

Protein kinase C activity and protein levels in Alzheimer's disease
R.A. Lanius, R. Wagey, B. Sahl, B.L. Beattie, H. Feldman, S.L. Pelech and C. Krieger (Canada) 75

Atipamezole-precipitated clonidine withdrawal induces c-Fos expression in rat central nervous system
R.L. Stometta, M.C. Grubb and P.G. Guyenet (USA) 81

Heme from Alzheimer's brain inhibits muscarinic receptor binding via thiyl radical generation
H.D. Venters Jr., L.E. Bonilla, T. Jensen, H.P. Garner, E.Z. Bordayo, M.M. Najarian, T.A. Ala, R.P. Mason and W.H. Frey II (USA) 93

The medial supramammillary nucleus, spatial learning and the frequency of hippocampal theta activity
W.-X. Pan and N. McNaughton (New Zealand) 101

Estrogen alters proenkephalin RNAs in the paraventricular nucleus of the hypothalamus following stress
R.Y. Yukhananov and R.J. Handa (USA) 109

Effects of probenecid on the elicitation of spreading depression in the rat striatum
D.L. Taylor, J. Urenjak, E. Zilkha and T.P. Obrenovitch (UK) 117

Opioid receptors on peripheral sensory axons
R.E. Coggeshall, S. Zhou and S.M. Carlton (USA) 126

Estrogens attenuate neuronal injury due to hemoglobin, chemical hypoxia, and excitatory amino acids in murine cortical cultures
R.F. Regan and Y. Guo (USA) 133

The isolation and characterization of a novel G protein-coupled receptor regulated by immunologic challenge
M.E. Charlton, A.S. Williams, M. Fogliano, P.M. Sweetnam and R.S. Duman (USA) 141

HIV infection of human fetal neural cells is mediated by gp120 binding to a cell membrane-associated molecule that is not CD4 nor galactocerebroside
H.-N. Hao, F.-C. Chiu, L. Losev, K.M. Weidenheim, W.K. Rashbaum and W.D. Lyman (USA) 149

Synthesis, metabolism and levels of the neuroactive steroid, 3α-hydroxy-4-pregnen-20-one (3αHP), in rat pituitaries
J.P. Wiebe, D. Boushy and M. Wolfe (Canada) 158

Isolation and characterization of tightly coupled mitochondria from neurons and astrocytes in primary culture
A. Almeida and J.M. Medina (Spain) 167

Progesterone, 5α-pregnane-3,20-dione and 3α-hydroxy-5α-pregnane-20-one in specific regions of the human female brain in different endocrine states
M. Bixo, A. Andersson, B. Winblad, R.H. Purdy and T. Bäckström (Sweden, USA) 173

Evidence of distinct amino acid and bile salt receptors in the olfactory system of the zebrafish, *Danio rerio*
W.C. Michel and D.S. Derbidge (USA) 179

(contents continued on p. 306)

0006-8993(19970801)764:1/2;1-K

(contents continued)

Temporal profiles of the in vitro phosphorylation rate and immunocontent of glial fibrillary acidic protein (GFAP) after kainic acid-induced lesions in area CA1 of the rat hippocampus: demonstration of a novel phosphoprotein associated with gliosis
G. Lenz, L. Manozzo, S. Gottardo, M. Achaval, C. Salbego and R. Rodnight (Brazil) 188
Laminar distribution of non-principal neurons in the rat hippocampus, with special reference to their compositional difference among layers
T. Nomura, T. Fukuda, Y. Aika, C.W. Heizmann, P.C. Emson, T. Kobayashi and T. Kosaka (Japan, Switzerland, UK) 197
Evidence of apoptosis in primary neuronal cultures after heat shock
P. Vogel, E. Dux and C. Wiessner (Germany) 205
Nociceptive masseter inhibitory reflexes evoked by laser radiant heat and electrical stimuli
J. Ellrich, H.C. Hopf and R.-D. Treede (Germany) 214

Short communications

CO interact with intracellular [H^+] with and without CO_2–HCO_3^- in the cat carotid chemosensory discharge
S. Osanai, C. Rozanov, A. Mokashi, D.G. Buerk and S. Lahiri (USA) 221
Characterization of amyloid β protein species in cerebral amyloid angiopathy of a squirrel monkey by immunocytochemistry and enzyme-linked immunosorbent assay
N. Sawamura, A. Tamaoka, S. Shoji, E.H. Koo, L.C. Walker and H. Mori (Japan, USA) 225
Co-variation of free amino acids in brain interstitial fluid during pentylenetetrazole-induced convulsive status epilepticus
G.P. Sechi, G. Rosati, G.A. Deiana, V. Petruzzi, F. Deriu, P. Correddu and P.L. De Riu (Italy) 230
Quantitative analysis of GAD65 and GAD67 immunoreactivities in somata of GABAergic neurons in the mouse hippocampus proper (CA1 and CA3 regions), with special reference to parvalbumin-containing neurons
T. Fukuda, C.W. Heizmann and T. Kosaka (Japan, Switzerland) 237
Pretreatment with the protein kinase C activator phorbol 12,13-dibutyrate attenuates the ethanol-induced loss of the righting reflex in mice: modification by diabetes
M. Ohsawa and J. Kamei (Japan) 244
Nesting and shredding behavior as an indicator of hippocampal ischemic damage
F.J. Antonawich, C.S. Melton, P. Wu and J.N. Davis (USA) 249
The critical role of nucleus accumbens dopamine systems in the mediation of fixed interval schedule-controlled operant behavior
D.A. Cory-Slechta, R. Pazmino and C. Bare (USA) 253
Periaqueductal gray matter projection to vagal preganglionic neurons and the nucleus tractus solitarius
E. Farkas, A.S.P. Jansen and A.D. Loewy (USA) 257
Excitatory amino acid receptors in the basolateral amygdala regulate anxiety responses in the social interaction test
T.J. Sajdyk and A. Shekhar (USA) 262
Species differences in the distribution of nitric oxide synthase in brain stem regions that regulate sympathetic activity
J. Zanzinger and H. Seller (Germany) 265
Increased brain-derived neurotrophic factor immunoreactivity in rat dorsal root ganglia and spinal cord following peripheral inflammation
H.-J. Cho, J.-K. Kim, X.-F. Zhou and R.A. Rush (South Korea, Australia) 269
Motor evoked potentials (MEPs) and H-reflexes are not equally sensitive to voluntary motor commands
T. Kasai, Y. Toyoda and S. Yahagi (Japan) 273
Opioids potentiate transmitter release from SK-N-SH human neuroblastoma cells by modulating N-type calcium channels
O. Keren, M. Gafni and Y. Sarne (Israel) 277
Amyloid precursor protein, Aβ and amyloid-associated proteins involved in chloroquine retinopathy in rats – immunopathological studies
T. Yoshida, R. Fukatsu, K. Tsuzuki, Y. Aizawa, Y. Hayashi, N. Sasaki, Y. Takamaru, N. Fujii and N. Takahata (Japan) 283
Influence of fasting and neuropeptide Y on the suppressive food intake induced by intracerebroventricular injection of glucagon-like peptide-1 in the neonatal chick
M. Furuse, M. Matsumoto, R. Mori, K. Sugahara, K. Kano and S. Hasegawa (Japan) 289
Influence of cell culture conditions on the protective effect of antioxidants against β-amyloid toxicity: studies with lazaroids
E. Lucca, N. Angeretti and G. Forloni (Italy) 293
The effect of dopamine depletion on the H_2O_2 production in the rat striatum following transient middle cerebral artery occlusion
B. Lei, N. Adachi, T. Nagaro and T. Arai (Japan) 299

Author Index 303